


How to change rear windshield wipers on **Mercedes W168** – replacement guide





## **VIDEO TUTORIAL**



(i) Important!

This replacement procedure can be used for:

MERCEDES-BENZ Viano (W639) CDI 2.0 4-matic (639.811, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI 2.2 4-matic (639.811, 639.813, 639.815), MERCEDES-BENZ A-Class (W168) A 140 (168.031, 168.131), MERCEDES-BENZ A-Class (W168) A 160 CDI (168.007), MERCEDES-BENZ A-Class (W168) A 170 CDI (168.008), MERCEDES-BENZ A-Class (W168) A 190 (168.032, 168.132), MERCEDES-BENZ A-Class (W168) A 160 CDI (168.006), MERCEDES-BENZ A-Class (W168) A 170 CDI (168.009, 168.109), MERCEDES-BENZ A-Class (W168) A 210 (168.035, 168.135), MERCEDES-BENZ Viano (W639) 3.0 (140 KW / 190 PS), MERCEDES-BENZ Viano (W639) 3.2 (639.713, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI 2.2 (639.711, 639.713, 639.811, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI 2.2 (639.711, 639.713, 639.811, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI 2.0 (639.711, 639.713, 639.811, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI 2.0 (639.711, 639.713, 639.811, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI 2.0 (639.711, 639.713, 639.811, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI 2.0 (639.711, 639.713, 639.811, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI 2.0 (639.711, 639.713, 639.811, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI 2.0 (639.711, 639.713, 639.811, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI 2.0 (639.711, 639.713, 639.811, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI 2.0 (639.711, 639.713, 639.811, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI 2.0 (639.711, 639.713, 639.811, 639.813, 639.815), MERCEDES-BENZ Viano (W639) CDI

The steps may slightly vary depending on the car design.





Replacement: windshield wipers - Mercedes W168. AUTODOC recommends:

• All work should be done with the engine stopped.

## **REPLACEMENT: WINDSHIELD WIPERS – MERCEDES W168. RECOMMENDED SEQUENCE OF STEPS:**



Prepare the new windscreen wipers.



2

Pull the wiper arm away from the glass surface until it stops.



3

Turn the wiper blade by ninety degrees.







4

Press the clip.



5

Remove the blade from the wiper arm.



# Replacement: windshield wipers – Mercedes W168. AUTODOC experts recommend:

• When replacing the wiper blade, take caution to prevent the spring-loaded wiper arm from hitting the glass.



Install the new wiper blade and carefully press the wiper arm down to the glass.







### Replacement: windshield wipers – Mercedes W168. Tip from AUTODOC:

- Don't touch the wiper blade at the working rubber edge to prevent damage to the graphite coating.
- Ensure that the blade rubber strip fits tightly to the glass along the entire length.

Switch on the ignition.



8

7

After installation check the wipers performance.






**VIEW MORE TUTORIALS** 





# AUTODOC – TOP QUALITY AND AFFORDABLE CAR PARTS ONLINE



A GREAT SELECTION OF SPARE PARTS FOR YOUR CAR

#### **BUY SPARE PARTS FOR MERCEDES**

WINDSHIELD WIPERS: A WIDE SELECTION



#### **CHOOSE CAR PARTS FOR MERCEDES W168**

#### WINDSHIELD WIPERS FOR MERCEDES: BUY NOW

#### WINDSHIELD WIPERS FOR MERCEDES W168: THE BEST DEALS & OFFERS

# (i) **DISCLAIMER**:

The document contains only general recommendations that may be useful for you when you perform repair or replacement work. AUTODOC shall not be liable for any loss, injury, damage of property occurring in the repair or replacement process due to incorrect use or misinterpretation of the provided information.

AUTODOC shall not be liable for any possible mistakes and uncertainties in this guide. The information provided is for information purposes only and cannot replace advice from specialists.

AUTODOC shall not be liable for incorrect or hazardous usage of equipment, tools and car parts. AUTODOC strongly recommends to be careful and observe the safety rules when performing repair or replacement works. Remember: usage of low quality auto parts does not guarantee you the appropriate level of road safety.

© Copyright 2022 – All the contents of this website, in particular texts, photographs and graphics, are protected by copyright. All rights, including reproduction, publication, editing and translation rights, are reserved by AUTODOC GmbH.

(၀)