



How to change pollen
filter on **Nissan Leaf ZE0**
– replacement guide

VIDEO TUTORIAL



Important!

This replacement procedure can be used for:

NISSAN Leaf I (ZE0) Electric, NISSAN Cube (Z12) 1.5 dCi, NISSAN Cube (Z12) 1.6 16V, NISSAN Juke (F15) 1.6, NISSAN Juke (F15) 1.6 DIG-T 4x4, NISSAN Juke (F15) 1.6 DIG-T, NISSAN Juke (F15) 1.5 dCi, NISSAN Juke (F15) 1.6 DIG-T NISMO 4x4, NISSAN Juke (F15) 1.6 DIG-T NISMO, NISSAN Juke (F15) 1.2 DIG-T, NISSAN Juke (F15) 1.6 DIG-T NISMO RS, NISSAN Juke (F15) 1.6 DIG-T NISMO RS 4x4, NISSAN Cube (Z12) 1.5 16V, NISSAN Juke (F15) 1.6 LPG, NISSAN Leaf II (ZE1) Electric, (+ 3)

The steps may slightly vary depending on the car design.

REPLACEMENT: POLLEN FILTER – NISSAN LEAF ZE0.
TOOLS YOU MIGHT NEED:



- Phillips screwdriver

[BUY TOOLS](#)

Replacement: pollen filter – Nissan Leaf ZE0. Tip from AUTODOC:

- Replace the cabin filter at least once every six months, in early spring and autumn seasons.
- Follow the terms, recommendations and requirements of the part operation provided by the manufacturer.
- If the air flow into the cabin has sharply reduced, replace the filter before a scheduled maintenance.
- All work should be done with the engine stopped.

REPLACEMENT: POLLEN FILTER – NISSAN LEAF ZE0. USE THE FOLLOWING PROCEDURE:

1 Move the passenger seat fully backwards.



2 Remove the protective cover under the glove box.



3 Open the glove box.




4 Unscrew the glove box fastening screws. Use a Phillips screwdriver.



5 Pry up, carefully release from the fasteners and remove the side trim panel on the passenger side.



6 Remove the glovebox.



Replacement: pollen filter – Nissan Leaf ZE0. AUTODOC experts recommend:

- Be careful to avoid damaging the glove compartment fasteners.

7

Remove the cabin filter housing cover.



8

Remove the cabin filter.




Replacement: pollen filter – Nissan Leaf ZE0. Tip from AUTODOC experts:

- Do not attempt to clean and reuse the filter - it will affect the quality of air cleaning inside the car.

9

Install the cabin filter to its mounting seat.




AUTODOC recommends:

- Replacement: pollen filter – Nissan Leaf ZE0. Be sure to position the filtering element correctly. Avoid misalignment.
- Follow the air flow direction arrow on the filter.
- Attention! Use quality filters – Nissan Leaf ZE0.


10

Reinstall the cabin filter housing cover. Make sure you hear a click indicating that it is locked in place.



11

Install the glove box.



12

Screw the glove box fastening screws. Use a Phillips screwdriver.




13 Install the side trim panel. Position the part using the guides and lock the fasteners.



AUTODOC recommends:

- Replacement: pollen filter – Nissan Leaf ZE0. Do not use excessive force during installation. This may damage the fasteners.

14 Close the glove box.



15 Install and secure the protective cover under the glove box.




AUTODOC recommends:

- Replacement: pollen filter – Nissan Leaf ZE0. Do not use excessive force during installation. This may damage the fasteners.

16

Return the passenger seat to its initial position.



17

Switch on the ignition.

18

Switch on the air conditioning system. This is necessary in order to make sure that the component operates properly.



19

Switch off the ignition.

WELL DONE! 👍

[VIEW MORE TUTORIALS](#)

AUTODOC – TOP QUALITY AND AFFORDABLE CAR PARTS ONLINE

AUTODOC MOBILE APP: GREAT DEALS AND CONVENIENT SHOPPING



AUTODOC+

GET IT ON
Google Play

Download on the
App Store

Download

A GREAT SELECTION OF SPARE PARTS FOR YOUR CAR

BUY SPARE PARTS FOR NISSAN

POLLEN FILTER: A WIDE SELECTION

CHOOSE CAR PARTS FOR NISSAN LEAF ZE0

POLLEN FILTER FOR NISSAN LEAF ZE0: BUY NOW

POLLEN FILTER FOR NISSAN LEAF ZE0: THE BEST DEALS & OFFERS

ⓘ DISCLAIMER:

The document contains only general recommendations that may be useful for you when you perform repair or replacement work. AUTODOC shall not be liable for any loss, injury, damage of property occurring in the repair or replacement process due to incorrect use or misinterpretation of the provided information.

AUTODOC shall not be liable for any possible mistakes and uncertainties in this guide. The information provided is for information purposes only and cannot replace advice from specialists.

AUTODOC shall not be liable for incorrect or hazardous usage of equipment, tools and car parts. AUTODOC strongly recommends to be careful and observe the safety rules when performing repair or replacement works. Remember: usage of low quality auto parts does not guarantee you the appropriate level of road safety.

© Copyright 2021 – All the contents of this website, in particular texts, photographs and graphics, are protected by copyright. All rights, including reproduction, publication, editing and translation rights, are reserved by AUTODOC GmbH.