

How to change glass for wing mirror on **Nissan Qashqai J10** – replacement guide





VIDEO TUTORIAL



important!

This replacement procedure can be used for:

NISSAN Qashqai / Qashqai+2 I (J10, NJ10) 1.5 dCi, NISSAN Qashqai / Qashqai+2 I (J10, NJ10) 1.6, NISSAN Qashqai / Qashqai+2 I (J10, NJ10) 2.0, NISSAN Qashqai / Qashqai+2 I (J10, NJ10) 2.0 All-wheel Drive, NISSAN Qashqai / Qashqai+2 I (J10, NJ10) 1.6 dCi All-wheel Drive, NISSAN Qashqai / Qashqai+2 I (J10, NJ10) 1.6 dCi, NISSAN Qashqai / Qashqai+2 I (J10, NJ10) 2.0 dCi, NISSAN Qashqai / Qashqai+2 I (J10, NJ10) 1.6 LPG


The steps may slightly vary depending on the car design.

CLUB.AUTODOC.CO.UK 1-8





REPLACEMENT: GLASS FOR WING MIRROR – NISSAN QASHQAI J10. TOOLS YOU MIGHT NEED:



- Electronic spray
- Plastic trim tool

- Painter's tape
- Fender cover

BUY TOOLS

CLUB.AUTODOC.CO.UK 2-8





Replacement: glass for wing mirror – Nissan Qashqai J10. AUTODOC recommends:

- The replacement procedure is identical for the right and left side mirror glass.
- All work should be done with the engine stopped.

REPLACEMENT: GLASS FOR WING MIRROR – NISSAN QASHQAI J10. TAKE THE FOLLOWING STEPS:

Use a fender protection cover to prevent damaging paintwork and plastic parts of the car.



Use the masking tape to prevent plastic and painted parts of the car from being damaged.



Tilt the mirror glass out of the housing.



CLUB.AUTODOC.CO.UK 3-8









Carefully release the mirror glass from its attachment. Use a plastic trim tool.



Remove the mirror glass.



AUTODOC recommends:

- Replacement: glass for wing mirror Nissan Qashqai J10. Do not use excessive force when removing the part as this may damage it.
- Detach the mirror heating connectors.



CLUB.AUTODOC.CO.UK 4-8







7 Treat the mirror heating connectors. Use dielectric grease.



8 Attach the mirror heating connectors.



Install the new mirror glass. Make sure you hear a click indicating that it is locked in place.



Replacement: glass for wing mirror – Nissan Qashqai J10. Tip from AUTODOC:

- When installing, do not use excessive force to avoid damage to the part.
- Make sure the mirror glass is positioned correctly. It should be aligned with the locking tabs on the housing.

CLUB.AUTODOC.CO.UK 5-8









10 Remove the masking tape.



Clean the mirror glass.



12 Remove the fender protection cover.



- Switch on the ignition. This is necessary in order to make sure that the component operates properly.
- 14 Switch off the ignition.



VIEW MORE TUTORIALS

CLUB.AUTODOC.CO.UK 6-8





AUTODOC — TOP QUALITY AND AFFORDABLE CAR PARTS ONLINE



A GREAT SELECTION OF SPARE PARTS FOR YOUR CAR

BUY SPARE PARTS FOR NISSAN

GLASS FOR WING MIRROR: A WIDE SELECTION

CLUB.AUTODOC.CO.UK 7-8





CHOOSE CAR PARTS FOR NISSAN QASHQAI J10

GLASS FOR WING MIRROR FOR NISSAN: BUY NOW

GLASS FOR WING MIRROR FOR NISSAN QASHQAI J10: THE BEST DEALS & OFFERS

① DISCLAIMER:

The document contains only general recommendations that may be useful for you when you perform repair or replacement work. AUTODOC shall not be liable for any loss, injury, damage of property occurring in the repair or replacement process due to incorrect use or misinterpretation of the provided information.

AUTODOC shall not be liable for any possible mistakes and uncertainties in this guide. The information provided is for information purposes only and cannot replace advice from specialists.

AUTODOC shall not be liable for incorrect or hazardous usage of equipment, tools and car parts. AUTODOC strongly recommends to be careful and observe the safety rules when performing repair or replacement works. Remember: usage of low quality auto parts does not guarantee you the appropriate level of road safety.

© Copyright 2022 – All the contents of this website, in particular texts, photographs and graphics, are protected by copyright. All rights, including reproduction, publication, editing and translation rights, are reserved by AUTODOC GmbH.

CLUB.AUTODOC.CO.UK 8-8