



How to change front
door handle on **RENAULT**
Scénic I (JA0/1, FA0) –
replacement guide

SIMILAR VIDEO TUTORIAL



This video shows the replacement procedure of a similar car part on another vehicle


Important!

This replacement procedure can be used for:
RENAULT Scénic I (JA0/1_, FA0_) 1.6 BiFuel (JA04)

The steps may slightly vary depending on the car design.

This tutorial was created based on the replacement procedure for a similar car part on: RENAULT MASTER II Box (FD) 2.2 dCI 90

REPLACEMENT: DOOR HANDLE – RENAULT SCÉNIC I (JA0/1, FA0). TOOLS YOU NEED:



- T30 Torx bit

- Ratchet screwdriver

Buy tools


Replacement: door handle – RENAULT Scénic I (JA0/1, FA0). Professionals recommend:

- The replacement procedure is identical for the left and right front door handles.
- All the work should be carried out with the engine switched off.

REPLACEMENT: DOOR HANDLE – RENAULT SCÉNIC I (JA0/1, FA0). TAKE THE FOLLOWING STEPS:

1 Open the car door.


2 Unscrew the fasteners of the exterior door handle. Use a T30 Torx bit. Use a ratchet screwdriver.



3 Remove the fastening bolts.




4 Remove the exterior door handle.




- 5 Disconnect the lock rod that connects the lock to the exterior door handle.




- 6 Connect the lock rod to the new exterior door handle and secure it with the clip.




- 7 Install the new exterior door handle.



- 8 Install the fastening bolts.




- 9 Screw in the fasteners of the exterior door handle. Use a T30 Torx bit. Use a ratchet screwdriver.



10

Check that the new component is working.



11


Close the car door.

WELL DONE! 

VIEW MORE TUTORIALS

AUTODOC – TOP QUALITY AND AFFORDABLE CAR PARTS ONLINE

AUTODOC MOBILE APP: GREAT DEALS AND CONVENIENT SHOPPING





 GET IT ON
Google Play

 Download on the
App Store

Download

A GREAT SELECTION OF SPARE PARTS FOR YOUR CAR

DOOR HANDLE: A WIDE SELECTION

DISCLAIMER:

The document contains only general recommendations that may be useful for you when you perform repair or replacement work. AUTODOC shall not be liable for any loss, injury, damage of property occurring in the repair or replacement process due to incorrect use or misinterpretation of the provided information.

AUTODOC shall not be liable for any possible mistakes and uncertainties in this guide. The information provided is for information purposes only and cannot replace advice from specialists.

AUTODOC shall not be liable for incorrect or hazardous usage of equipment, tools and car parts. AUTODOC strongly recommends to be careful and observe the safety rules when performing repair or replacement works. Remember: usage of low quality auto parts does not guarantee you the appropriate level of road safety.

© Copyright 2025 – All the contents of this website, in particular texts, photographs and graphics, are protected by copyright. All rights, including reproduction, publication, editing and translation rights, are reserved by AUTODOC SE.