# **+** AUTODOC CLUB

How to change rear coil springs on **Hyundai Santa Fe CM** – replacement guide







## **VIDEO TUTORIAL**



## (i) Important!

This replacement procedure can be used for: HYUNDAI SANTA FÉ II (CM) 2.7, HYUNDAI SANTA FÉ II (CM) 2.2 CRDi, HYUNDAI SANTA FÉ II (CM) 2.7 V6 GLS, HYUNDAI SANTA FÉ II (CM) 2.2 CRDi GLS

The steps may slightly vary depending on the car design.

CLUB.AUTODOC.CO.UK 1–12







## REPLACEMENT: COIL SPRINGS – HYUNDAI SANTA FE CM. TOOLS YOU NEED:



- Wire brush
- WD-40 spray
- Brake cleaner
- Copper grease
- Torque wrench
- Combination spanner #19

- Drive socket #19
- Wheel impact socket #21
- Ratchet wrench
- Hydraulic transmission jack
- Crow bar
- Wheel chock

**BUY TOOLS** 

CLUB.AUTODOC.CO.UK 2-12







## Replacement: coil springs – Hyundai Santa Fe CM. AUTODOC recommends:

- Both coil springs of the rear suspension should be replaced simultaneously.
- The replacement procedure is identical for the left and right coil springs of the rear suspension.
- Please note: all work on the car Hyundai Santa Fe CM should be done with the engine switched off.

## CARRY OUT REPLACEMENT IN THE FOLLOWING ORDER:

Secure the wheels with chocks.

3



Loosen the wheel mounting bolts. Use wheel impact socket #21.



Raise the rear of the car and secure on supports.



CLUB.AUTODOC.CO.UK 3-12







4 Unscrew the wheel bolts.



## AUTODOC recommends:

- Important! Hold the wheel while unscrewing the fastening bolts. Hyundai Santa Fe CM
- 5 Remove the wheel.



6 Support the arm. Use a hydraulic transmission jack.



Clean the control arm fasteners. Use a wire brush. Use WD-40 spray.

CLUB.AUTODOC.CO.UK 4–12







Unscrew the front arm fastener. Use a combination spanner #19. Use a drive socket #19. Use a ratchet wrench.



- Remove the front fastener of the control arm.
- Detach the control arm.
- Remove the support from under the arm.



#### **AUTODOC** recommends:

- Replacement: coil springs Hyundai Santa Fe CM. Lower the transmission jack smoothly, without jerks, to avoid damaging components and mechanisms.
- Pull down the suspension control arm. Use a crowbar.



CLUB.AUTODOC.CO.UK 5-12







Take out the spring.



Remove the rubber spring spacer.

Replacement: coil springs – Hyundai Santa Fe CM. Professionals recommend:

- Inspect the rubber mounts of the suspension spring. Replace if necessary.
- 15 Install the rubber spacer on the new coil spring.



- Pull down the suspension control arm. Use a crowbar.
- Install the coil spring together with the rubber mounts into the mounting seats.



CLUB.AUTODOC.CO.UK 6-12







Support the arm. Use a hydraulic transmission jack.



19 Attach the control arm.



- 20 Install the front fastener of the arm.
- Tighten the lower arm fastener. Use a combination spanner #19. Use a drive socket #19. Use a torque wrench. Tighten it to 118 Nm torque.



Remove the support from under the arm.



CLUB.AUTODOC.CO.UK 7–12







#### **AUTODOC** recommends:

- Replacement: coil springs Hyundai Santa Fe CM. Lower the transmission jack smoothly, without jerks, to avoid damaging components and mechanisms.
- Clean the wheel rim mounting seat. Use a wire brush.
- Treat the surface where the brake disc contacts the wheel rim. Use copper grease.



#### AUTODOC recommends:

- Replacement: coil springs Hyundai Santa Fe CM. After applying the spray, wait a few minutes.
- Clean the brake disk surface. Use a brake cleaner.

25



Replacement: coil springs – Hyundai Santa Fe CM. Tip from AUTODOC experts:

• After applying the spray, wait a few minutes.

CLUB.AUTODOC.CO.UK 8-12







26 Install the wheel.



## **AUTODOC** recommends:

- Warning! To avoid injury, hold the wheel while screwing in the fastening bolts on the car. Hyundai Santa Fe CM
- Screw in the wheel bolts. Use wheel impact socket #21.



Lower the car and working in a cross order, tighten the wheel bolts. Use wheel impact socket #21. Use a torque wrench. Tighten it to 108 Nm torque.



CLUB.AUTODOC.CO.UK 9-12







29

#### Remove the jacks and chocks.






**VIEW MORE TUTORIALS** 

CLUB.AUTODOC.CO.UK 10-12





## AUTODOC — TOP QUALITY AND AFFORDABLE CAR PARTS ONLINE



A GREAT SELECTION OF SPARE PARTS FOR YOUR CAR

**BUY SPARE PARTS FOR HYUNDAI** 

**COIL SPRINGS: A WIDE SELECTION** 

CLUB.AUTODOC.CO.UK 11-12







**COIL SPRINGS FOR HYUNDAI: BUY NOW** 

COIL SPRINGS FOR HYUNDAI SANTA FE CM: THE BEST DEALS & OFFERS

## **① DISCLAIMER:**

The document contains only general recommendations that may be useful for you when you perform repair or replacement work. AUTODOC shall not be liable for any loss, injury, damage of property occurring in the repair or replacement process due to incorrect use or misinterpretation of the provided information.

AUTODOC shall not be liable for any possible mistakes and uncertainties in this guide. The information provided is for information purposes only and cannot replace advice from specialists.

AUTODOC shall not be liable for incorrect or hazardous usage of equipment, tools and car parts. AUTODOC strongly recommends to be careful and observe the safety rules when performing repair or replacement works. Remember: usage of low quality auto parts does not guarantee you the appropriate level of road safety.

© Copyright 2023 – All the contents of this website, in particular texts, photographs and graphics, are protected by copyright. All rights, including reproduction, publication, editing and translation rights, are reserved by AUTODOC GmbH.

CLUB.AUTODOC.CO.UK 12-12