



How to change pollen
filter on **VW Caddy 3**
Kombi – replacement
guide

VIDEO TUTORIAL



Important!

This replacement procedure can be used for:

VW Passat Saloon (362) 1.4 TSI, VW Passat Saloon (362) 1.8 TSI, VW Passat Saloon (362) 2.0 TSI, VW Passat Saloon (362) 1.6 TDI, VW Passat Saloon (362) 2.0 TDI, VW Passat Saloon (362) 2.0 TDI 4motion, VW Passat Saloon (362) 1.4 TSI EcoFuel, VW Passat Variant (365) 1.4 TSI, VW Passat Variant (365) 1.8 TSI, VW Passat Variant (365) 1.6 TDI, VW Passat Variant (365) 2.0 TSI, VW Passat Variant (365) 2.0 TDI, VW Passat Variant (365) 2.0 TDI 4motion, VW Passat Variant (365) 1.4 TSI EcoFuel, VW TOURAN (1T3) 1.2 TSI, (+ 277)

The steps may slightly vary depending on the car design.

REPLACEMENT: POLLEN FILTER – VW CADDY 3 KOMBI.
TOOLS YOU MIGHT NEED:



- Plastic trim tool


BUY TOOLS

Replacement: pollen filter – VW Caddy 3 Kombi. Professionals recommend:


- Replace the cabin filter at least once every six months, in early spring and autumn seasons.
- Follow the terms, recommendations and requirements of the part operation provided by the manufacturer.
- If the air flow into the cabin has sharply reduced, replace the filter before a scheduled maintenance.
- In some cars, the heater unit is located on the passenger side.
- Please note: all work on the car – VW Caddy 3 Kombi – should be done with the engine switched off.

CARRY OUT REPLACEMENT IN THE FOLLOWING ORDER:

1 Move the passenger seat fully backwards.



2 Pry up, carefully release from the fasteners and remove the side trim panel on the passenger side. Use a plastic trim tool.




3

Spread a cloth under the cabin filter cover to protect the interior upholstery from getting dirty.




4

Remove the cabin filter housing cover.



5


Remove the cabin filter.



Replacement: pollen filter – VW Caddy 3 Kombi. AUTODOC recommends:

- Do not attempt to clean and reuse the filter - it will affect the quality of air cleaning inside the car.


6 Install a new cabin filter according to the mark.




AUTODOC recommends:

- Follow the air flow direction arrow on the filter.
- Replacement: pollen filter – VW Caddy 3 Kombi. Be sure to position the filtering element correctly. Avoid misalignment.

7 Reinstall the cabin filter housing cover. Make sure you hear a click indicating that it is locked in place.



8 Remove the cloth.



9

Install the side trim panel. Position the part using the guides and lock the fasteners.




Replacement: pollen filter – VW Caddy 3 Kombi. Tip:

- Do not apply excessive force when installing the part. Otherwise you may damage the fasteners.

10

Return the passenger seat to its initial position.



WELL DONE! 

[VIEW MORE TUTORIALS](#)

AUTODOC – TOP QUALITY AND AFFORDABLE CAR PARTS ONLINE

AUTODOC MOBILE APP: GREAT DEALS AND CONVENIENT SHOPPING



+ AUTODOC

GET IT ON  **Google Play**

 **Download on the App Store**

Download

A GREAT SELECTION OF SPARE PARTS FOR YOUR CAR

BUY SPARE PARTS FOR VW

POLLEN FILTER: A WIDE SELECTION

CHOOSE CAR PARTS FOR VW CADDY 3 KOMBI

POLLEN FILTER FOR VW: BUY NOW

**POLLEN FILTER FOR VW CADDY 3 KOMBI: THE BEST DEALS
& OFFERS**

DISCLAIMER:

The document contains only general recommendations that may be useful for you when you perform repair or replacement work. AUTODOC shall not be liable for any loss, injury, damage of property occurring in the repair or replacement process due to incorrect use or misinterpretation of the provided information.

AUTODOC shall not be liable for any possible mistakes and uncertainties in this guide. The information provided is for information purposes only and cannot replace advice from specialists.

AUTODOC shall not be liable for incorrect or hazardous usage of equipment, tools and car parts. AUTODOC strongly recommends to be careful and observe the safety rules when performing repair or replacement works. Remember: usage of low quality auto parts does not guarantee you the appropriate level of road safety.

© Copyright 2023 – All the contents of this website, in particular texts, photographs and graphics, are protected by copyright. All rights, including reproduction, publication, editing and translation rights, are reserved by AUTODOC SE.