AUTODOC
Expert in auto parts!

How to replace a spark plug on MERCEDES-BENZ C-CLASS W202

Carry out replacement in the following order:

Disconnect the wire from the battery negative terminal.

1

Open the hood

2.1

Disconnect the air meter wiring plug.

2.2

3.1



Loosen the air filter pipe clamp.

3.2

3.3

4

Dismantle the air filter pipe.

5.1



Remove the cylinder head cover.

5.2

5.3

5.4

6

Disconnect the high voltage wires from the spark plugs.

AutoDoc recommends:

Note the correct procedure for connecting high-voltage wires to spark plugs.

7.1

Remove the spark plugs with a spark plug wrench and place them on a work surface in the order of installing in the engine.

7.2

8

Apply a thin layer of special grease on the thread surface of new spark plugs.

9.1

Screw new spark plugs and tighten them.

9.2



AutoDoc recommends:

Be careful when working with a spark plug wrench. Its skewing can cause damage to the threaded connection.

Don't tighten the plugs with excessive force. Exceeding tightening torque can damage the thread connection.

10

Connect the high voltage wires to the spark plugs.

AutoDoc recommends:

Follow the correct procedure when connecting high-voltage wires to spark plugs.

11.1

Reinstall the cylinder head cover.

11.2

11.3

11.4



12.1

Install the air filter pipe.

12.2

13.1

Tighten the fuel filter pipe clamp.

13.2

14

Connect the air meter wiring plug.

15

Close the hood

We hope that this information have been useful for you!

Video tutorials

Watch our detailed video guides about your MERCEDES-BENZ C-CLASS W202 repair on our youtube channel. Watch video guides.

AutoDoc online

Highest quality spark plugs for your car MERCEDES-BENZ C-CLASS W202 are available on AutoDoc. Go to the website.

AUTODOC — TOP QUALITY AND AFFORDABLE CAR PARTS ONLINE

QUALITY AUTO PARTS



MERCEDES-BENZ

SPARK PLUGS



MERCEDES-BENZ C-CLASS W202

SPARK PLUGS FOR MERCEDES-BENZ



SPARK PLUGS FOR MERCEDES-BENZ C-CLASS W202

Disclaimer:

The document contains only general recommendations that may be useful for you when you perform repair or replacement works. AutoDoc shall not be liable for any loss, injury, damage of property, acquired in the repair or replacement process due to incorrect usage or misinterpretation of the provided information.

AutoDoc shall not be liable for any possible mistakes and uncertainties in this guide. The information provided is for informative purposes only and cannot replace advice from specialists.

AutoDoc shall not be liable for incorrect or hazardous usage of equipment, tools and car parts. AutoDoc strongly recommends to be careful and observe the safety rules when performing repair or replacement works. Remember: usage of low quality auto parts does not guarantee you the appropriate level of road safety.

AUTODOC IN SOCIAL MEDIA