

How to replace an engine air filter on VOLKSWAGEN T4

Carry out replacement in the following order:





Disconnect the mounting of the pipe supplying air into the cabin.




Disconnect the wiring from the mass air flow sensor.



Open the hood



Remove the air supply pipe.



Loosen and remove the air filter cover.

www.autodoc.co.uk 1–4

How to replace an engine air filter on VOLKSWAGEN T4





Remove the air filter and replace it with a new one.





Reinstall the air filter cover. Fasten it.

i AutoDoc recommends:

Check out the correct location of the filter element. Do not skew.



Connect the wiring to the mass air flow sensor.

How to replace an engine air filter on VOLKSWAGEN T4



Install the air supply pipe and fasten it.





We hope that this information have been useful for you!



Video tutorials

Watch our detailed video guides about your VOLKSWAGEN T4 repair on our youtube channel. Watch video guides.



Highest quality air filters for your car VOLKSWAGEN T4 are available on AutoDoc. Go to the website.



How to replace an engine air filter on VOLKSWAGEN T4

AUTODOC — TOP QUALITY AND AFFORDABLE CAR PARTS ONLINE













i Disclaimer:

The document contains only general recommendations that may be useful for you when you perform repair or replacement works. AutoDoc shall not be liable for any loss, injury, damage of property, acquired in the repair or replacement process due to incorrect usage or misinterpretation of the provided information.

AutoDoc shall not be liable for any possible mistakes and uncertainties in this guide. The information provided is for informative purposes only and cannot replace advice from specialists.

AutoDoc shall not be liable for incorrect or hazardous usage of equipment, tools and car parts. AutoDoc strongly recommends to be careful and observe the safety rules when performing repair or replacement works. Remember: usage of low quality auto parts does not guarantee you the appropriate level of road safety.

AUTODOC IN SOCIAL MEDIA













www.autodoc.co.uk 4–2