



How to change rear  
brake discs on **VW**  
**Passat 3C B6 Variant** –  
replacement guide

## VIDEO TUTORIAL

** Important!**


This replacement procedure can be used for:

VW Passat Saloon (362) 1.4 TSI, VW Passat Saloon (362) 1.8 TSI, VW Passat Saloon (362) 2.0 TSI, VW Passat Saloon (362) 1.6 TDI, VW Passat Saloon (362) 2.0 TDI, VW Passat Saloon (362) 2.0 TDI 4motion, VW Passat Saloon (362) 1.4 TSI EcoFuel, VW Passat Variant (365) 1.4 TSI, VW Passat Variant (365) 1.8 TSI, VW Passat Variant (365) 1.6 TDI, VW Passat Variant (365) 2.0 TSI, VW Passat Variant (365) 2.0 TDI, VW Passat Variant (365) 2.0 TDI 4motion, VW Passat Variant (365) 1.4 TSI EcoFuel, VW GOLF PLUS (5M1, 521) 1.6 BiFuel, (+ 160)

---

The steps may slightly vary depending on the car design.

REPLACEMENT: BRAKE DISCS – PASSAT 3C5. TOOLS YOU'LL NEED:



- Wire brush
- All-purpose cleaning spray
- Brake cleaner
- Copper grease
- Combination spanner #15
- Drive socket # 13
- XZN socket bit # 16
- Torx bit T30
- Wheel impact socket #17
- Brake caliper wind back tool
- Ratchet wrench
- Torque wrench
- Hammer
- Tap wrench
- Impact screwdriver
- Rubber mallet
- Crow bar
- Wheel chock

**BUY TOOLS**

Replacement: brake discs – VW Passat B6 3C Variant. AUTODOC recommends:


- Replace the brake disks on the car VW Passat 3C B6 Variant in complete set for each axis. Regardless of the state of components. This will ensure even braking.
- The replacement procedure is identical for both brake disks on the same axle.
- When changing the brake discs, always replace the brake pads.
- All work should be done with the engine stopped.

**REPLACEMENT: BRAKE DISCS – PASSAT VARIANT B6. TAKE THE FOLLOWING STEPS:**

**1** Open the bonnet. Unscrew the brake fluid reservoir cap.



**2** Secure the wheels with chocks.



**3** Loosen the wheel mounting bolts. Use wheel impact socket #17.



**4** Raise the rear of the car and secure on supports.




**5** Unscrew the wheel bolts.




**Replacement: brake discs – VW Passat 3C5. Tip:**

- To avoid injury, hold up the wheel when unscrewing the bolts.


**6** Remove the wheel.




**7** Put the parking brake system into service mode.




**8** Clean the parking brake connector. Use a wire brush. Use all-purpose cleaning spray.




**9** Unplug the parking brake connector.



**10** Unscrew the brake caliper fastening. Use a combination spanner #15. Use a drive socket #13. Use a ratchet wrench.



**11** Remove the brake caliper.




Replacement: brake discs – Passat B6 3C Variant. AUTODOC experts recommend:

- Tie the caliper to the suspension or to the body with a wire without disconnecting from the brake hose to prevent depressurization of the brake system.
- Make sure that the brake caliper is not hanging on the brake hose.
- Don't press the brake pedal after the brake caliper has been removed. As a result, the piston can fall out from the brake cylinder, and brake fluid leakage and depressurization of the system may occur.
- Check the brake caliper bracket, brake caliper guide pins and boots. Clean them. Replace, if necessary.

12

Remove the brake pads. Use a crowbar.



13

Remove the hub bearing protection cap. Use a crowbar. Use a hammer.




Please note!

- Some cars are not equipped with wheel hub caps.

14

Unscrew the hub bearing mounting. Use XZN #16. Use a tap wrench.




15

Unscrew the brake disc fastening. Use Torx T30. Use an impact screwdriver.




16

Remove the brake disc.



17

Clean the brake caliper bracket from dirt and dust. Use a wire brush. Use a brake cleaner.






**AUTODOC recommends:**

- Replacement: brake discs – VW Passat Variant B6. After applying the spray, wait a few minutes.


**18**

Clean the hub. Use a wire brush. Treat the contacting surface. Use copper grease.



**19**

Install the brake disc.



**20**

Tighten the brake disc fastening. Use Torx T30. Use a torque wrench. Tighten it to 4 Nm torque.



**21**

Tighten the fastener of the wheel hub bearing. Use XZN #16. Use a torque wrench. Tighten it to 200 Nm torque.+180°



**AUTODOC recommends:**

- Important! Be sure to use new fasteners.


**22**

Install the hub bearing protection cap. Use a rubber mallet.




**23**

Install the brake pads.



**24**

Treat the brake caliper piston. Use a wire brush. Use a brake cleaner.




**Replacement: brake discs – Passat 3C5. Professionals recommend:**

- After applying the spray, wait a few minutes.


**25** Press in the brake caliper piston. Use brake caliper wind back tool.




**26** Install the brake caliper and fix it. Use a combination spanner #15. Use a drive socket #13. Use a torque wrench. Tighten it to 35 Nm torque.



**27** Plug in the parking brake connector.




**28** Treat the surface where the brake disc contacts the wheel rim. Use copper grease.



29

Clean the brake disk surface. Use a brake cleaner.




Replacement: brake discs – VW Passat B6 3C Variant. Tip from AUTODOC:

- After applying the spray, wait a few minutes.

30

Install the wheel.




AUTODOC recommends:

- Important! Hold the wheel while screwing in the fastening bolts. VW Passat 3C5


31

Screw in the wheel bolts. Use wheel impact socket #17.




**32**

Lower the car and working in a cross order, tighten the wheel bolts. Use wheel impact socket #17. Use a torque wrench. Tighten it to 120 Nm torque.



**33**

Remove the jacks and chocks.



**Replacement: brake discs – Passat Variant B6. Tip from AUTODOC experts:**

- Check the brake fluid level in the expansion tank and refill if necessary.

**34**

Tighten the brake fluid reservoir cap.




**AUTODOC recommends:**

- Without starting the engine, press the brake pedal several times until you feel significant resistance.

35

Close the hood.



**WELL DONE!** 

**VIEW MORE TUTORIALS**

# AUTODOC – TOP QUALITY AND AFFORDABLE CAR PARTS ONLINE

**AUTODOC MOBILE APP: GREAT DEALS AND CONVENIENT SHOPPING**



**+ AUTODOC**

GET IT ON **Google Play**

Download on the **App Store**

**Download**

**A GREAT SELECTION OF SPARE PARTS FOR YOUR CAR**

**BUY SPARE PARTS FOR VW**

**BRAKE DISCS: A WIDE SELECTION**

**CHOOSE CAR PARTS FOR VW PASSAT 3C B6 VARIANT**

**BRAKE DISCS FOR VW: BUY NOW**

**BRAKE DISCS FOR VW PASSAT 3C B6 VARIANT: THE BEST DEALS & OFFERS**

### **DISCLAIMER:**

The document contains only general recommendations that may be useful for you when you perform repair or replacement work. AUTODOC shall not be liable for any loss, injury, damage of property occurring in the repair or replacement process due to incorrect use or misinterpretation of the provided information.

AUTODOC shall not be liable for any possible mistakes and uncertainties in this guide. The information provided is for information purposes only and cannot replace advice from specialists.

AUTODOC shall not be liable for incorrect or hazardous usage of equipment, tools and car parts. AUTODOC strongly recommends to be careful and observe the safety rules when performing repair or replacement works. Remember: usage of low quality auto parts does not guarantee you the appropriate level of road safety.

© Copyright 2023 – All the contents of this website, in particular texts, photographs and graphics, are protected by copyright. All rights, including reproduction, publication, editing and translation rights, are reserved by AUTODOC SE.